



Dimensions

| Scale Size | 3 × 3 ft | 4 × 4 ft | 4 × 5 ft | 4 × 6 ft | 5 × 5 ft |
|---------------|----------|----------|----------|----------|----------|
| Α | 36.75 | 48.75 | 60.75 | 72.75 | 60.75 |
| В | 36.75 | 48.75 | 48.75 | 48.75 | 60.75 |
| С | 39.92 | 51.92 | 51.92 | 51.92 | 63.92 |
| D | 39.92 | 51.92 | 63.92 | 75.92 | 63.92 |
| Е | 47.92 | 59.92 | 71.92 | 83.92 | 71.92 |
| F | 47.92 | 59.92 | 59.92 | 59.92 | 71.92 |

All dimensions are shown in inches. Drawing #S77687.

- 1. Use concrete of minimum yield strength 5,000 PSI or 6-bag mix.
- 2. Allow 7 days to cure (wet concrete periodically during this time).
- 3. Dimensions shown assume firm, stable soil conditions. When soil conditions are not adequate, place foundation at sufficient depth.
- 4. In wet or washdown applications, we recommend the use of hermetically sealed load cells and that the junction box be mounted remotely in a dry location.
- 5. Wire mesh to have minimum 0.75 in cover bottom and sides.

^{*} Drawings are for standard catalog part numbered scales.