

# CHAIR SCALES DIGITAL AND MECHANICAL



# 550-10-1 DIGITAL CHAIR SCALE

The Rice Lake 550-10-1 digital chair scale is designed for patients who find it difficult to, or cannot, stand. The molded plastic seat is easy to clean, comfortable and safe up to 660 pounds. Swing-up arms enable easy access from either side, and a flip-up footrest can be used for additional patient comfort. A large push-button display lights up for easy viewing and an audible beep sounds at the end of each weigh cycle.









### **FEATURES**

- Large LCD display
- Antimicrobial keypad
- Enameled tubular steel frame
- Four heavy-duty locking caster wheels
- Swing-up arms
- Flip-up footrest
- Motiontrap<sup>™</sup> movement compensation technology
- Unit of measure toggle or locking

- EMR capable
- Serial and USB data communication ports
- Bluetooth® BLE 4.0 available, part number selectable
- Tare function
- Hold function
- BMI (body mass index) function
- Factory calibrated

## **SPECIFICATIONS**

### Capacity:

 $660 \times 0.2 \text{ lb } (300 \times 0.1 \text{ kg})$ 

### Power:

9 VDC, provided by six AA alkaline batteries (included) or AC adapter (optional)

### **Battery Type:**

Six AA alkaline (included)

### **Battery Use:**

25 hours continuous use with batteries Automatic power-off can be configured

### Display:

5-digit LCD display, 0.75 in (1.9 cm) digit height

### **Temperature:**

Operating:

50 °F to 104 °F (10 °C to 40 °C)

### Warranty:

Two-year limited



# DIGITAL CHAIR SCALE

MODEL	CAPACITY	COMMUNICATION	PART#
550-10-1	$660 \times 0.2 \text{ lb } (300 \times 0.1 \text{ kg})$	USB	119114
550-10-1BLE	$660 \times 0.2 \text{ lb } (300 \times 0.1 \text{ kg})$	Bluetooth® BLE 4.0	194740

# **OPTIONS**


DESCRIPTION	PART#
9 VDC adapter, 120 V/230 V auto switching c-MET* Medical grade power supply	115655
9 VDC adapter, 120 V/230 V auto switching*	133077
9 VDC adapter, 230 V**	102508
Epson TM-U220 tape printer	81076
Cable, RS232 scale to printer, 6 ft, 25-pin D-Sub (male) to RJ45	186830
Cable, USB 6 ft USB-A (male) to USB-B (male)	79074
Cable, Communication DB9 (female) to RJ45 (male), 4 conductor	217091
*NEMA 1-15 Plug [] ] **CEE 7/16 Plug 💿 🔾	


# SHIPPING WEIGHT

MODEL#	PART#	L (IN)	W (IN)	H (IN)	PACKAGE WGT. (LB)	DIM WGT. (LB)	SHIPPING WGT. (LB)
550-10-1	119114	29	27	29	54	164	164
550-10-1BLE	194740	29	27	29	54	164	164

# DIMENSIONS

	INCHES	CENTIMETERS		INCHES	CENTIMETERS
A	37.26	94.6	F	20.70	52.6
В	15.61	39.6	G	35.78	90.9
C	20.74	52.7	Н	33.58	85.3
D	2.15	5.5	I	12.95	32.9
E	25.06	63.7			





An ISO 9001 Registered Company ©2025 Rice Lake Weighing Systems 01/25 Specifications subject to change without notice. Visit ricelake.com











# 560-10-1 **DIGITAL CHAIR SCALE**

The Rice Lake 560-10-1 digital chair scale is designed for patients who find it difficult to, or cannot, stand. Two armrests and two footrests can be lifted separately for convenient patient access. The 20-inch-wide molded plastic seat is easy to clean, comfortable and safe up to 660 pounds. A large push-button display lights up for easy viewing and an audible beep sounds at the end of each weigh cycle.





# **FEATURES**

- Large LCD display
- Enameled tubular steel frame
- Four heavy-duty caster wheels
- Swing-up arms
- Side-folding footrests
- Molded seat
- Motiontrap™ movement compensation technology

- Unit of measure toggle or locking
- EMR capable
- USB data communication port
- Tare function
- Hold function
- BMI (body mass index) function
- Factory calibrated

## SPECIFICATIONS

### Capacity:

 $660 \times 0.2 \text{ lb } (300 \times 0.1 \text{ kg})$ 

9 VDC, provided by six AA alkaline batteries (included) or AC adapter (optional)

# **Battery Type:**

Six AA alkaline (included)

### **Battery Use:**

25 hours continuous use with batteries Automatic power-off can be configured

### Display:

5-digit LCD display, 0.75 in (1.9 cm) digit height

### Warranty:

Two-year limited









# DIGITAL CHAIR SCALE

MODEL	CAPACITY	COMMUNICATION	PART#
560-10-1	$660 \times 0.2 \text{ lb } (300 \times 0.1 \text{ kg})$	USB	166644

# **OPTIONS**


DESCRIPTION	PART#
9 VDC adaptor, 120 V/230V auto switching*	133077
9 VDC adaptor, 230 V**	102508
Epson TM-U220 tape printer	81076
Cable, RS232 scale to printer, 6 ft, 25-pin D-Sub (male) to RJ45	186830
Cable, USB 6 ft USB-A (male) to USB-B (male)	79074
Cable, Communication DB9 (female) to RJ45 (male), 4 conductor	217091
*NEMA 1-15 Plug 🔲 "**CEE 7/16 Plug 💿 🌖	

# SHIPPING WEIGHT

MODEL #	PART #	L (IN)	W (IN)	H (IN)	PACKAGE WGT. (LB)	DIM WGT. (LB)	SHIPPING WGT. (LB)
560-10-1	166644	33	23	27	65	148	148

# DIMENSIONS

	INCHES	CENTIMETERS		INCHES	CENTIMETERS
A	20.10	51.1	E	5.90	15.0
В	17.30	44.0	F	21.50	54.6
C	20.10	51.1	G	34.60	88.0
D	36.40	92.5	Н	42.90	109.0





# RL-MCS MECHANICAL CHAIR SCALE

The Rice Lake mechanical chair scale is designed for weighing those who find it difficult or unsafe to stand on a conventional scale. The smooth, durable, molded plastic seat is comfortable, and the swing-up arms lift for easy patient transport. The sturdy enameled steel frame has four heavy-duty wheels for easy, quiet maneuvering. Clinics, nursing homes and rehabilitation centers will find the sleek professional design easy to clean.



## **FEATURES**

- Swing-up arms for easy access and exit
- Fold-up footrest
- Sturdy enameled, steel frame
- Dual read die-cast beam

- Polypropylene seat with ABS armrests
- Heavy-duty wheels; two back wheels lock, two front wheels swivel

# **SPECIFICATIONS**

# Capacity:

Lb only beam 450 lb  $\times$  4 oz Kg only beam 200 kg  $\times$  100 g

### Warranty:

Two-year limited



Picture showing swing up arms









# MECHANICAL CHAIR SCALE


MODEL	CAPACITY	PART#
RL-MCS-LB	450 lb × 4 oz	172098
RL-MCS-KG	200kg × 100g	172099

# SHIPPING WEIGHT

MODEL#	PART#	L (IN)	W (IN)	H (IN)	PACKAGE WGT. (LB)	DIM WGT. (LB)	SHIPPING WGT. (LB)
RL-MCS-LB	172098	29	25	25	79	131	131
RL-MCS-KG	172099	29	25	25	79	131	131

# DIMENSIONS

	INCHES	CENTIMETERS		INCHES	CENTIMETERS
A	21.50	54.6	E	25.38	64.5
В	14.20	36.1	F	38.40	97.5
C	14.80	37.6	G	35.70	90.7
D	16.00	40.6			



An ISO 9001 Registered Company ©2025 Rice Lake Weighing Systems 01/25 Specifications subject to change without notice. Visit ricelake.com