



TABULATION									
SCALE	SIZE	A	B	C	D	E	F	G	H
2.5 X	2.5	30.75	30.75	33.92	33.92	41.92	41.92	9.96	9.96
3 X	3	36.75	36.75	39.92	39.92	47.92	47.92	12.96	12.96
4 X	4	48.75	48.75	51.92	51.92	59.92	59.92	18.96	18.96
5 X	5	60.75	60.75	63.92	63.92	71.92	71.92	24.96	24.96
4 X	5	60.75	48.75	51.92	63.92	71.92	59.92	24.96	24.96
4 X	6	72.75	48.75	51.92	75.92	83.92	59.92	30.96	30.96
5 X	6	72.75	60.75	63.92	75.92	83.92	71.92	30.96	30.96
5 X	7	84.75	60.75	63.92	87.92	95.92	71.92	36.96	36.96
6 X	8	96.75	72.75	75.92	99.92	107.92	83.92	42.96	42.96
5 X	10	120.75	60.75	63.92	123.92	131.92	71.92	54.96	54.96
5 X	8	96.75	60.75	63.92	99.92	107.92	71.92	42.96	42.96
7 X	9	108.75	84.75	87.92	111.92	119.92	95.92	48.96	48.96
6 X	10	120.75	72.75	75.92	123.92	131.92	83.92	54.96	54.96

REVISIONS			
REV	REFERENCE	INIT	DATE
A	ECO NO. 4052	K.E.M.	12/9/91
B	ADDED NOTE 6 ECO 4092	AK	12/9/94
C	ADDED 5 X 10 "SCALE SIZE" TAB	AK	8/25/04
D	CHANGED CONDUIT TO BE 3/4"	AK	10/31/08
E	ADDED 6 X 10 "SCALE SIZE" TAB	AK	3/17/09
F	ADDED 7 X 9 "SCALE SIZE" TAB	AK	8/29/14



NOTE:

1. USE CONCRETE OF MINIMUM YIELD STRENGTH 5000 PSI OR 6-BAG MIX.
 2. ALLOW 7 DAYS TO CURE. WET CONCRETE PERIODICALLY DURING THIS TIME.
 3. DIMENSIONS SHOWN ASSUME FIRM, STABLE SOIL CONDITIONS. WHEN SOIL CONDITIONS ARE NOT ADEQUATE, PLACE FOUNDATION AT SUFFICIENT DEPTH.
 4. IN WET OR WASHDOWN APPLICATIONS WE RECOMMEND THE USE OF HERMETICALLY SEALED LOAD CELLS, AND THAT THE JUNCTION BOX BE MOUNTED REMOTELY IN A DRY LOCATION.
 5. WIRE MESH TO HAVE MINIMUM .75 COVER BOTTOM AND SIDES.
- ⚠️ ON STAINLESS STEEL VERSIONS, TWO PIECES OF 2 INCH ANGLE WILL BE SUBSTITUTED FOR THE 4 INCH CHANNEL.

ITEM	PART NO.	DESCRIPTION	REQD
PARTS LIST			
THIS DRAWING AND ALL INFORMATION CONTAINED HEREIN IS AND REMAINS THE PROPERTY OF RICE LAKE BEARING INC. AND IS CONFIDENTIAL. IT IS SUBMITTED AND MAY BE USED ONLY IN CONNECTION WITH RICE LAKE BEARING'S PROPOSAL AND/OR ITS CUSTOMERS' ORDERS. IT SHALL NOT BE DISCLOSED TO OTHERS OR COPIED WITHOUT RICE LAKE BEARING'S SPECIFIC WRITTEN CONSENT AND SHALL BE IMMEDIATELY RETURNED UPON REQUEST.			
TITLE			DWG NO
ROUGHDECK PIT FRAME			S2944
CONCRETE DETAILS 1-10K			
RICE LAKE WEIGHING SYSTEMS <small>Div. of RICE LAKE BEARING INC.</small>			
DATE	10/28/91	SHEET	1 OF 1
REVISION			F

DRAWING TOLERANCES			
SURFACE FINISH	TOL.	DECIMAL	METRIC
2 PLG			
3 PLG			
ANGLE			
DR BY	KAN	CHKD	
SCALE	NONE	APPD	