



**60lb CAPACITY AVAILABLE**

*Pole Scale*

*Bench Scale*

## Ishida Uni-7

Price Computing Scale/Printer/Color Touchscreen

The Uni-7 line offers its own set of unique features. Starting with the color touchscreen, users can also customize the customer display with their own color photos.

Save space and time with a front-loading label cassette. The Uni-7 also operates in receipt mode and can drive a cash drawer for basic register and scale operations.

### Standard Features

- Large color touchscreen (7 in)
- Adjustable touchscreen viewing angle
- Color graphics on customer-side display (not available on part number 109368, labeler scale)
- Dual-range weighing (0 to 15 lb × 0.005 lb/ 15 to 30 lb × 0.01 lb)
- Front-load label cassette
- Supports multiple label formats
- Ethernet communications
- Up to 99 pages of preset keys
- 77 tactile keys
- 4 MB standard memory expandable to 2 GB
- Self-serve mode/operation
- 30+ selectable fixed bar code formats
- Configurable for different languages including Spanish, French and German
- Compatible with third-party communication software, including Invatron's PLUM and ADC's InterScale
- 2020 nutrition labeling

### Specifications

**Capacity (Dual Range):**

0 to 15 × 0.005 lb, 15 to 30 × 0.01 lb

**Capacity (Single Range):**

0.60 × 0.02 lb option

**Display:**

Operator: Color LCD, 7 in  
Customer: Color LCD, 7 in

**Display Items:**

Tare: Four-digits  
Unit price: Six-digits  
Weight: Five-digits  
Total price: Six-digits

**Preset Keys:**

1980: 20 × 99 pages

**Memory Capacity:**

4 MB expandable to 2 GB

**Communications:**

Static TCP/IP 10/100 Base T Ethernet  
Wireless WEP/WPA/WPA2

**Interface:**

USB port (backup and restore only)

**Platter:**

15.7 × 10.8 in (398 × 275 mm)

**Print Head:**

Direct thermal 2.2 in head (56 mm)

**Print Speed:**

3.2/ 3.9/ 4.7/ 5.9 in/sec  
(80/ 100/ 120/ 150 mm/sec)

**Label Size:**

Width: 1.2 to 2.5 in (30 to 64 mm)  
Length: 0.8 to 7.9 in (20 to 200 mm)

**Label Roll:**

Inside diameter: 1.6 in (40 mm) min  
Outside diameter: 3.9 in (100 mm) max

**Label Backing Paper:**

Width: Up to 2.6 in (66 mm)

**Power Supply:**

AC100 to 240 V, 50/60 Hz

**Power Consumption:**

Stand-by: 50 W  
In operation: 120 W

**Classification:**

NTEP CC 07-099  
UL listed

**Warranty:**

One-year limited



PART #	MODEL	WIRELESS	CAPACITY
161937	Uni-7 Bench		0-15 × 0.005 lb/15-30 × 0.01 lb
109366	Uni-7 Bench	√	0-15 × 0.005 lb/15-30 × 0.01 lb
166268	Uni-7 Pole		0-15 × 0.005 lb/15-30 × 0.01 lb
109367	Uni-7 Pole	√	0-15 × 0.005 lb/15-30 × 0.01 lb
155266	Uni-7 Bench	√	0-60 × 0.02 lb
155267	Uni-7 Pole	√	0-60 × 0.02 lb
LABELER			
109368	Uni-7 Bench	√	N/A



*Self-serve Large Button*



*Label cassette*



*Fish Platter*

# Ishida Uni-7

Price Computing Scale/Printer/Color Touchscreen

PART #	MODEL/DESCRIPTION	WIRELESS	CAPACITY	EST. SHIP WEIGHT	PRICE
161937	Uni-7 Bench		0-15 x 0.005lb/15-30 x 0.01 lb	31 lb	Consult
109366	Uni-7 Bench	√	0-15 x 0.005lb/15-30 x 0.01 lb	31 lb	Consult
166268	Uni-7 Pole		0-15 x 0.005lb/15-30 x 0.01 lb	34 lb	Consult
109367	Uni-7 Pole	√	0-15 x 0.005lb/15-30 x 0.01 lb	34 lb	Consult
155266	Uni-7 Bench	√	0-60 lb x 0.02lb	31 lb	Consult
155267	Uni-7 Pole	√	0-60 lb x 0.02lb	34 lb	Consult
<b>LABELER</b>					
109368	Uni-7 Bench	√	N/A	29lb	Consult

## Options/Accessories

167774	In-use cover, operator keyboard				Consult
110996	Additional label cassette				Consult
153320	Linerless label cassette				Consult
46916	Produce platter, (L x W x D) 11.5 x 17 x 0.7 in				Consult
46917	Fish platter, (L x W x D) 11.5 x 17 x 0.7 in				Consult
120812	Cash drawer- black power cord with Uni-7 plug				Consult
91870	Compact flash card for expanded memory, 32 MB, for CPU board version PK-260A				Consult
174110	SD memory card, 2 GB, for CPU board version PK-260B				Consult

## Communication

160259**	ScaleLink Pro 5 software CD, license file required and purchased separately (see page 72)				Consult
152628*	ScaleLink Pro 5 license file, one license required per computer				Consult
78860	Cross cable, Ethernet CAT5, 6 ft				Consult
215289	Internal wireless communication 802.11 b/g 2.4 Ghz (factory installation recommended)				Consult

## Manuals and Service Tools

118188**	Uni Series support USB (contains manuals, training videos and libraries)				Consult
160906	USB flash memory, 1 GB				Consult

## Label Stock

Please refer to labels section of this catalog for ordering information and case quantity pricing

\*Software key is provided after online registration is completed

\*\*Manuals and software programs can be downloaded from the distributor section of [www.ricelake.com/retail](http://www.ricelake.com/retail)


## Dimensions

Please see next page for model dimensions.




# Ishida Uni-7

Price Computing Scale/Printer/Color Touchscreen

DIMENSIONS					
<b>A</b>	16.41 in (417 mm)	<b>F</b>	6.18 in (157 mm)	<b>M</b>	5.11 in (130 mm)
<b>B</b>	18.26 in (464 mm)	<b>G</b>	6.81 in (173 mm)	<b>N</b>	13.03 in (331 mm)
<b>C</b>	11.65 in (296 mm)	<b>H</b>	10.82 in (275 mm)	<b>O</b>	18.42 in (468 mm)
<b>D</b>	15.66 in (398 mm)	<b>I</b>	11.73 in (298 mm)	<b>P</b>	21.96 in (558 mm)
<b>E</b>	5.27 in (134 mm)	<b>K</b>	7.48 in (190 mm)		



Bench Scale



Pole Scale

